



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/631,147	07/31/2003	Christopher Seigneur	108643-133020	2248
25943	7590	04/25/2005	EXAMINER	
SCHWABE, WILLIAMSON & WYATT, P.C. PACWEST CENTER, SUITES 1600-1900 1211 SW FIFTH AVENUE PORTLAND, OR 97204			KENNY, STEPHEN	
			ART UNIT	PAPER NUMBER
			3726	

DATE MAILED: 04/25/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/631,147

Applicant(s)

SEIGNEUR, CHRISTOPHER

Examiner

Stephen J Kenny

Art Unit

3726

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 31 July 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-17 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1, 10-13 and 17 is/are rejected.
- 7) ☒ Claim(s) 2-9, 14-16 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 11/24/03.
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: _____

DETAILED ACTION

Claim Rejections - 35 USC § 112

Claim 17 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. It is unclear to the examiner whether claim 17 is drawn to a method claim (depending from claim 13) or an apparatus claim (depending from claim 1) see MPEP 2173.05.

Claim Rejections - 35 USC § 101

35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

Regarding claim 17, the claimed invention is directed to non-statutory subject matter. Claim 17 is overlaps two separate statutory classes (i.e. method & apparatus).

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 10-11, & 13 are rejected under 35 U.S.C. 102(b) as being anticipated by Seigneur (US Patent No 5056224).

Regarding claims 1 & 13, Seigneur discloses a guide bar & method comprising: a bar having inner & outer ends, a channel extending along the length thereof containing a conduit

Art Unit: 3726

(56) within which has inner & outer ends, and opposing inlets (66, 68); the opposing inlets defining passageways (52, 54) into the conduit (56) near the inner end; said inlets adapted to receive a treatment material from a source, such that the material is directed into the conduit; a check valve (70, 72, 84, 86) movable from a first position to a second position (said valves being responsive to the inflow in that when the valve is closed, the inflow will approach and encounter the valve, consequently the valve will respond by preventing the inflow from passing) allowing treatment material to enter through an open inlet, and preventing flow through the closed inlet (column 3, lines 50+, & Figures 3, 8, 10-12).

Regarding claims 10-11, Seigneur discloses a plurality of perforations for dispersing the treatment material which are made by the manufacturer (column 2, lines 30-33).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Seigneur.

Seigneur discloses the claimed invention except for specifically stating that the perforations are made by the end user. It would have been an obvious matter of design choice to have the perforations made by the end user, since the method in making the perforations is immaterial to the function of the invention. All that matters is that the perforations be present so as to enable the treatment material to disperse. How these perforations are formed is irrelevant.

Art Unit: 3726

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to form a guide bar as disclosed by Seigneur, where the perforations are formed by the end user, as this does not affect the performance of the guide bar.

Allowable Subject Matter

Claims 2-9, 14-16 are allowed.

Conclusion

The prior art made of record on the attached PTO-892, and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen J Kenny whose telephone number is 571-272-4531. The examiner can normally be reached on mon - fri 9am - 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Peter Vo can be reached on 571-272-4690. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

sk

S. Kenny



DAVID P. BRYANT
PRIMARY EXAMINER